

BANDVULC

GRIPMASTER


Master any environment with Bandvulc GRIPMASTER tyres. Outstanding reliability whatever the challenge.

**ENGINEERED FOR OFF-ROAD
ENDURANCE AND ON-ROAD
PERFORMANCE**



MORE PERFORMANCE, WHATEVER THE CHALLENGE

Bandvulc's range of on and off-road construction tyres includes specialist features designed for excellent handling and reliable performance on road, paired with a robust structure and tough grip tread designs to tackle off-road applications. Manufactured with Bandvulc's bespoke high polymer rubber compound the tyres resist damage, provide superior grip and keep performing from quarry to road, journey after journey.



For more technical information on the **GRIPMASTER** range and all things Bandvulc, visit us online today at...

BANDVULC.COM



BANDVULC BIG D



BIG D

11R22.5 | 295/80R22.5 | 315/80R22.5

A high performing, resilient drive tyre to suit aggressive applications. The **BIG D** features extra deep tread for increased mileage and traction, a bespoke tread design to suit both hard and soft terrain whilst improving resistance to irregular wear and includes Bandvulc's ARMORBAND™ sidewall protection feature.

KEY FEATURE ARMORBAND™

ARMORBAND™ technology provides an additional safety barrier against kerbing and sidewall damage.



TOUGH GRIP

The tread design is engineered to provide extra grip to handle adverse surfaces and extreme conditions.



STONE EJECTION

features within the tread grooves prevent stone trapping and drills.



Tyre Size	11R22.5	295/80R22.5	315/80R22.5
Tread Pattern	BIG D	BIG D	BIG D
Load Index	148/145	152/148	156/150
Speed Symbol	J	J	J
Speed Km/h	100	100	100
Recommended Rim	7.50	8.25	9.00
Fitment	Drive	Drive	Drive
Max inflation Pressure:			
Bar	8.5	8.5	8.5
PSI	123	123	123
Features	AB, TG, SE	AB, TG, SE	AB, TG, SE

BANDVULC



BIG T

385/65R22.5

The **BIG T** is a durable trailer tyre designed for both on-road stability and off-road grip. Bandvulc's smart blade tread design promotes rolling resistance properties through straight grooves and provides excellent resistance to lateral skidding.

KEY FEATURE COOL CARBON

Specialist rubber compound mixed in-house provides thermal resistant rubber, optimum performance and lower heat generation.



SMART BLADE

Designed to maximise fuel gains whilst providing excellent road handling characteristics



ECO MILEAGE

Designed to give outstanding value providing maximum mileage.



Tyre Size	385/65R22.5
Tread Pattern	BIG T
Load Index	160
Speed Symbol	J
Speed Km/h	100
Recommended Rim	11.75
Fitment	Trailer
Max inflation Pressure:	
Bar	9.0
PSI	131
Features	EM, CC, SB

BRANIC BRAND



ADVANCED MILEAGE
The tread design enables good contact with the road for enhanced grip and footprint, a better pence per kilometre and reduces energy loss.



KEY FEATURE TOUGH GRIP

The tread design is engineered to provide extra grip to handle adverse surfaces and extreme conditions.



BDY3

295/80R22.5 | 315/70R22.5 | 315/80R22.5

The **BDY3** is a robust, hardworking drive tyre with an aggressive, directional tread pattern. The deep tread depth and wide ratio pattern provides exceptional grip and on-road stability whilst the rugged shoulders minimise operational damage with excellent resistance to cuts, chunking and damage.

Tyre Size	295/80R22.5	315/70R22.5	315/80R22.5
Tread Pattern	BDY3	BDY3	BDY3
Load Index	152/148	154/150	156/150
Speed Symbol	J	K	K
Speed Km/h	100	110	110
Recommended Rim	8.25	9.00	9.00
Fitment	Drive	Drive	Drive
Max inflation Pressure:			
Bar	8.5	9.0	8.5
PSI	123	131	123
Features	AM, TG	AM, TG	AM, TG

BVC BRAND



HIGH POLYMER rubber provides excellent resistance to harsh driving



TOUGH GRIP
The tread design is engineered to provide extra grip to handle adverse surfaces and extreme conditions.



**KEY FEATURE
STONE EJECT**

The Stone Ejection features within the tread grooves prevent stone trapping and drills.



BVC

385/65R22.5

Suitable for heavier, more aggressive trailer applications, the **BVC** features a bespoke pattern to reduce mud and waste retention, paired with a high polymer rubber compound which provides excellent endurance and protects against damage and cuts.

Tyre Size	385/65R22.5
Tread Pattern	BVC
Load Index	160
Speed Symbol	J
Speed Km/h	100
Recommended Rim	11.75
Fitment	Trailer
Max inflation Pressure:	
Bar	9.0
PSI	131
Features	HP, SE, TG

ENGINEERED FOR OFF-ROAD ENDURANCE AND ON-ROAD PERFORMANCE

Bandvulc's range of on and off-road construction tyres includes specialist features designed for excellent handling and reliable performance on road, paired with a robust structure and tough grip tread designs to tackle off-road applications. Manufactured with Bandvulc's bespoke high polymer rubber compound the tyres resist damage, provide superior grip and keep performing from quarry to road, journey after journey.



GRIPMASTER tyres at work, providing excellent levels of grip and performance across all on, and off-road surfaces.





**TYRES ENGINEERED &
MANUFACTURED IN THE UK**



WHY **BANDVULC?**

INNOVATION **INDUSTRY LEADING PROCESSES, DESIGN AND TECHNOLOGY**

We continually invest in the future of our purpose-built LifeCycle plant by taking full advantage of technical advances and the latest technology available throughout the retreading operation. Our pioneering approach allows us to combine hot and cold retreading under one roof in a closed production cycle where synergies from retreading and rubber recycling are used enabling us to set new standards in sustainability.

EXPERTISE **50 YEARS OF RESEARCH, INVESTMENT AND TEAMWORK**

People are the driving force behind our success. Across the business we have experts in rubber technology, research and development, robotics and engineering allowing us to design a unique range of tyres for specific applications, right down to the bespoke rubber compounds produced in-house in our laboratory.

Our extensive knowledge of UK roads and ongoing investment into in-house rubber technology enables us to engineer products and compounds to suit a wide variety of uses and applications.

QUALITY **SETTING THE RETREAD STANDARD**

From initial design and development work to casing recycling and tread application, we implement critical quality control measures across our business that ensure we operate in the most efficient way and continually improve in all respects to fulfil our standards and achieve the best retread tyre.

SUSTAINABILITY **A GREENER JOURNEY AND EXTENDED LIFE CYCLES**

Since the beginning we have been committed to the care of the environment, prevention of pollution and our responsibility to ensure that our retreading operation is as efficient as possible with minimum impact to the environment. This not only includes the manufacturing processes in place and our zero-to-landfill policy but also through our diverse product offering and the quality retreads we provide for customers. Sustainability has, and always will be at the heart of our operations, across the board.

Bandvulc manufacture a tyre every 3 minutes, each one quality assured and with bespoke features designed to perform for our customers whatever the challenge.

BANDVULC

MORE PERFORMANCE, WHATEVER THE CHALLENGE



BANDVULC.COM
A BRAND OF CONTINENTAL



Bandvulc Tyres Ltd
Gillard Way, Lee Mill Industrial Estate
Ivybridge, Devon, PL21 9LN
Tel: 01752 429198

Follow us on...

